

**Comprehensive Test Series-01
(Determinants -: 4.2)**

XII

TIME: 1hr.

MM: 50

General Instructions:

- All Questions are compulsory.
 - Use of calculator is not permitted.
-

Q.1 Using the property of determinants and without expanding

$$(i) \begin{vmatrix} 2 & 7 & 65 \\ 3 & 8 & 75 \\ 5 & 9 & 86 \end{vmatrix} = 0$$

$$(ii) \begin{vmatrix} 1 & bc & a(b+c) \\ 1 & ca & b(c+a) \\ 1 & ab & c(a+b) \end{vmatrix} = 0$$

$$(iii) \begin{vmatrix} b+c & q+r & y+z \\ c+a & r+p & z+x \\ a+b & p+q & x+y \end{vmatrix} = 2 \begin{vmatrix} a & p & x \\ b & q & y \\ c & r & z \end{vmatrix}$$

Q. 2 By using properties of determinants. Show that

$$\begin{vmatrix} 0 & a & -b \\ -a & 0 & -c \\ b & c & 0 \end{vmatrix} = 0$$

3. Show that

$$\begin{vmatrix} -a^2 & ab & ac \\ ba & -b^2 & bc \\ ca & cb & -c^2 \end{vmatrix} = 4a^2b^2c^2$$

4. Show that

$$\begin{vmatrix} x & x^2 & yz \\ y & y^2 & zx \\ z & z^2 & xy \end{vmatrix} = (x-y)(y-z)(z-x)(xy + yz + zx)$$

5. Show that

$$\begin{vmatrix} a-b & -c & 2a & 2a \\ 2b & b-c-a & 2b & \\ 2c & 2c & c-a-b & \end{vmatrix} = (a+b+c)^3$$

6. Show that

$$\begin{vmatrix} 1 & x & x^2 \\ x^2 & 1 & x \\ x & x^2 & 1 \end{vmatrix} = (1-x^3)^2$$

7. Show that

$$\begin{vmatrix} 1+a & -b^2 & 2ab & -2a \\ 2ab & 1-a^2+b^2 & 2b & \\ 2b & -2a & 1-a^2-b^2 & \end{vmatrix} = (1+a^2+b^2)^3$$

8. Show that

$$\begin{vmatrix} 1+a & 1 & 1 \\ 1 & 1+b & 1 \\ 1 & 1 & 1+c \end{vmatrix} = abc \left(1 + \frac{1}{a} + \frac{1}{b} + \frac{1}{c} \right) = abc + bc + ca + ab$$

9. Prove that

$$\begin{vmatrix} b+c & a & a \\ b & c+a & b \\ c & c & a+b \end{vmatrix} = 4abc$$